

INTERNAL REVIEW DRAFT - PERCHLORATE TOXICITY ASSESSMENT.

- Allred, M. (1998) Chemical specific consultation for perchlorate. Atlanta, GA: U.S. Department of Health and Human Services, Agency for Toxic Substances and Disease Registry; October 8.
- Anbar, M.; Guttmann, S.; Lewitus, Z. (1959) The mode of action of perchlorate ions on the iodine uptake of the thyroid gland. *Int. J. Appl. Radiat. Isot.* 7: 87-96.
- Andersen, M. E.; Krishnan, K.; Conolly, R. B.; McClellan, R. O. (1992) Mechanistic toxicology research and biologically-based modeling: partners for improving quantitative risk assessments. *CIIT Activities* 12(1): 1-7.
- Argus Research Laboratories, Inc. (1998a) A neurobehavioral developmental study of ammonium perchlorate administered orally in drinking water to rats [report amendment: July 27]. Horsham, PA: Argus Research Laboratories, Inc.; protocol no. 1613-002.
- Argus Research Laboratories, Inc. (1998b) Oral (drinking water) two-generation (one litter per generation) reproduction study of ammonium perchlorate in rats. Horsham, PA: Argus Research Laboratories, Inc.; protocol no. 1416-001.
- Argus Research Laboratories, Inc. (1998c) Oral (drinking water) developmental toxicity study of ammonium perchlorate in rabbits [report amendment: September 10]. Horsham, PA: Argus Research Laboratories, Inc.; protocol no. 1416-002.
- Argus Research Laboratories, Inc. (1998d) Oral (drinking water) dosage-range developmental toxicity study of ammonium perchlorate in rabbits. Final pilot report. Horsham, PA: Argus Research Laboratories, Inc.; protocol no. 1416-002P; December 10.
- Atterwill, C. K.; Collins, P.; Brown, C. G.; Harland, R. F. (1987) The perchlorate discharge test for examining thyroid function in rats. *J. Pharmacol. Methods* 18: 199-203.
- Barton, H. A.; Andersen, M. E.; Allen, B. (1998) Dose response characteristics of uterine responses in rats exposed to estrogen agonists. *Regul. Toxicol. Pharmacol.* 28: 133-149.
- Barzilai, D.; Sheinfeld, M. (1966) Fatal complications following use of potassium perchlorate in thyrotoxicosis: report of two cases and a review of the literature. *Isr. J. Med. Sci.* 2: 453-456.
- Beals, J. A. J.; Funk, L. M.; Fountain, R.; Sedman, R. (1996) Quantifying the distribution of inhalation exposure in human populations: distribution of minute volumes in adults and children. *Environ. Health Perspect.* 104: 974-979.
- Bekkedal, M. Y. V.; Carpenter, T.; Smith, J.; Ademujohn, C.; Maken, D.; Mattie, D. R. (2000) A neurodevelopmental study of the effects of oral ammonium perchlorate exposure on the motor activity of pre-weanling rat pups. Wright-Patterson Air Force Base, OH: Naval Health Research Center Detachment, Neurobehavioral Effects Laboratory; report no. TOXDET-00-03.
- Block Environmental Services, Inc. (1998) LC50 aquatic toxicity test results for ammonium perchlorate—a two-species chronic definitive bioassay. San Jose, CA: Santa Clara Valley Water District; August 21.
- Brabant, G. (1994) Personal communication with Dr. G. Brabant concerning ongoing perchlorate work in humans by Drs. Donald Tocco and Bruce Mulholt in March and April 1994 [as cited in Toxicology Excellence for Risk Assessment, 1997].
- Brabant, G.; Bergmann, P.; Kirsch, C. M.; Kohrle, J.; Hesch, R. D.; Von Zur Muhlen, A. (1992) Early adaptation of thyrotropin and thyroglobulin secretion to experimentally decreased iodine supply in man. *Metabolism* 41: 1093-1096.

- Braverman, L. E.; Utiger, R. D. (1991) Introduction to thyrotoxicosis. In: Braverman, L. E.; Utiger, R. D., eds. Werner and Ingbar's the thyroid: a fundamental and clinical text. 6th ed. Philadelphia, PA: J.B. Lippincott Company; pp. 645-647.
- Brechner, R. J.; Parkhurst, G. D.; Humble, W. O.; Brown, M. B.; Herman, W. H. (2000) Ammonium perchlorate contamination of Colorado River drinking water is associated with abnormal thyroid function in newborns in Arizona. *J. Occup. Environ. Med.* 42: 777-782.
- Brown-Grant, K. (1966) Failure of orally administered perchlorate to affect deciduoma formation or pregnancy in the rat. *J. Reprod. Fertil.* 12: 353-357.
- Brown-Grant, K.; Sherwood, M. R. (1971) Viability of the rat blastocyst following the oral administration of potassium perchlorate or potassium iodide to the mother. *J. Reprod. Fertil.* 27: 265-267.
- Burgi, H.; Benguerel, M.; Knopp, J.; Kohler, H.; Studer, H. (1974) Influence of perchlorate on the secretion on non-thyroxine iodine by the normal human thyroid gland. *Eur. J. Clin. Invest.* 4: 65-69.
- Caldwell, D. J.; Mattie, D. R. (1995) Study design for the toxicity evaluation of ammonium perchlorate. In: Proceedings of the 1995 JANNAF safety and environmental protection subcommittee joint workshop, environmentally sound processing technology; July; Tampa, FL. Columbia, MD: Chemical Propulsion Information Agency; Joint Army, Navy, NASA, Air Force (JANNAF) interagency propulsion committee publication 626.
- Caldwell, D. J.; King, J. H., Jr.; Kinkead, E. R.; Wolfe, R. E.; Narayanan, L.; Mattie, D. R. (1995) Results of a fourteen day oral-dosing toxicity study of ammonium perchlorate. In: Proceedings of the 1995 JANNAF safety and environmental protection subcommittee meeting: volume 1; December; Tampa, FL. Columbia, MD: Chemical Propulsion Information Agency; Joint Army, Navy, NASA, Air Force (JANNAF) interagency propulsion committee publication 634.
- California Department of Health Services. (1997) Preliminary health reviews in Rancho Cordova, Sacramento County, California [health consultation of the Aerojet General Corporation superfund site under the Comprehensive Environmental Response, Compensation, and Liability Act of 1980]. Atlanta, GA: U.S. Department of Health and Human Services, Agency for Toxic Substances and Disease Registry; CERCLIS no. CAD980358832; October 16.
- California Department of Health Services. (1998a) Perchlorate contamination in the Citizens Utilities' suburban and Security Park water service areas [health consultation of the Aerojet General Corporation superfund site under the Comprehensive Environmental Response, Compensation, and Liability Act of 1980]. Atlanta, GA: U.S. Department of Health and Human Services, Agency for Toxic Substances and Disease Registry; CERCLIS no. CAD980358832; March 18.
- California Department of Health Services. (1998b) Perchlorate contamination in the Arden Cordova water service area [health consultation of the Aerojet General Corporation superfund site under the Comprehensive Environmental Response, Compensation, and Liability Act of 1980]. Atlanta, GA: U.S. Department of Health and Human Services, Agency for Toxic Substances and Disease Registry; CERCLIS no. CAD980358832; April 21.
- California Department of Health Services. (1998c) Perchlorate contamination in the Mather Air Force Base water service area [health consultation of the Aerojet General Corporation superfund site under the Comprehensive Environmental Response, Compensation, and Liability Act of 1980]. Atlanta, GA: U.S. Department of Health and Human Services, Agency for Toxic Substances and Disease Registry; CERCLIS no. CAD980358832; May 6.

California Department of Health Services. (1998d) Perchlorate contamination in the Fair Oaks water district [health consultation of the Aerojet General Corporation superfund site under the Comprehensive Environmental Response, Compensation, and Liability Act of 1980]. Atlanta, GA: U.S. Department of Health and Human Services, Agency for Toxic Substances and Disease Registry; CERCLIS no. CAD980358832; June 5.

California Department of Health Services. (1998e) Perchlorate contamination in the Sunrise district of the Sacramento County water service [health consultation of the Aerojet General Corporation superfund site under the Comprehensive Environmental Response, Compensation, and Liability Act of 1980]. Atlanta, GA: U.S. Department of Health and Human Services, Agency for Toxic Substances and Disease Registry; CERCLIS no. CAD980358832; June 18.

Campbell, B. A.; Lytle, L. D.; Fibiger, H. C. (1969) Ontogeny of adrenergic arousal and cholinergic inhibitory mechanisms in the rat. *Science* (Washington, DC) 166: 635-637.

Cao, X. Y.; Jiang, X. M.; Dou, Z. H.; Rakeman, M. A.; Zhang, M. L.; O'Donnell, K.; Ma, T.; Amette, K.; DeLong, N.; DeLong, G. R. (1994) Timing of vulnerability of the brain to iodine deficiency in endemic cretinism. *N. Engl. J. Med.* 331: 1739-1744.

Capen, C. C. (1997) Mechanistic data and risk assessment of selected toxic end points of the thyroid gland. *Toxicol. Pathol.* 25: 39-48.

Cavalieri, R. R. (1997) Iodine metabolism and thyroid physiology: current concepts. *Thyroid* 7: 177-181.

Channel, S. R., Maj. (1998a) Consultative letter, AFRL-HE-WP-CL-1998-0027, morphometric analysis report - thyroid: a neurobehavioral developmental study of ammonium perchlorate administered orally in drinking water to rats [memorandum with attachments to Annie Jarabek]. Wright-Patterson Air Force Base, OH: Human Effectiveness Directorate, Operational Toxicology Branch; October 26.

Channel, S. R., Maj. (1998b) Consultative letter, AFRL-HE-WP-CL-1998-0026, histopathology report for thyroids from a fourteen-day oral dosing toxicity study of ammonium perchlorate [memorandum with attachments to Annie Jarabek]. Wright-Patterson Air Force Base, OH: Human Effectiveness Directorate, Operational Toxicology Branch; October 27.

Channel, S. R., Maj. (1998c) Consultative letter, AFRL-HE-WP-CL-1998-0031, pharmacokinetic study of perchlorate administered orally to humans [memorandum to Annie Jarabek]. Wright-Patterson Air Force Base, OH: Air Force Research Laboratory, Human Effectiveness Directorate; December 18.

Chow, S. Y.; Woodbury, D. M. (1970) Kinetics of distribution of radioactive perchlorate in rat and guinea-pig thyroid glands. *J. Endocrinol.* 47: 207-218.

Chow, S. Y.; Chang, L. R.; Yen, M. S. (1969) A comparison between the uptakes of radioactive perchlorate and iodide by rat and guinea-pig thyroid glands. *J. Endocrinol.* 45: 1-8.

Clewel, R. A. (2001a) Consultative letter, AFRL-HE-WP-CL-2001-0006, physiologically-based pharmacokinetic model for the kinetics of perchlorate-induced inhibition of iodide in the pregnant rat and fetus [memorandum with attachments to Annie Jarabek]. Wright-Patterson AFB, OH: Air Force Research Laboratory; May 10.

Clewel, R. A. (2001b) Consultative letter, AFRL-HE-WP-CL-2001-0007, physiologically-based pharmacokinetic model for the kinetics of perchlorate-induced inhibition of iodide in the lactating and neonatal rat [memorandum with attachments to Annie Jarabek]. Wright-Patterson AFB, OH: Air Force Research Laboratory; May 24.

Clewel, R. (2001c) Consultative letter, AFRL-HE-WP-CL-2001-0009, comparison of AFRL/HEST study protocol for effects of perchlorate exposure via drinking water during pre- and postnatal development versus a

similar study conducted by Argus Research Laboratories, Inc. [memorandum with attachments to Annie Jarabek]. Wright-Patterson, AFB, OH: Air Force Research Laboratory; June 7.

Cohen, J. (1987) Statistical power analysis for the behavioral sciences. Revised edition. Hillsdale, NJ: Lawrence Erlbaum Associates, Publishers.

Comer, C. P.; Norton, S. (1982) Effects of perinatal methimazole exposure on a developmental test battery for neurobehavioral toxicity in rats. *Toxicol. Appl. Pharmacol.* 63: 133-141.

Connell, J. M. (1981) Long-term use of potassium perchlorate. *Postgrad. Med. J.* 57: 516-517.

Cox, C. (1994) Statistical issues for animal studies of developmental neurotoxicity. In: Weiss, B.; O'Donoghue, J. L., eds. *Neurobehavioral toxicity: analysis and interpretation*. New York, NY: Raven Press; pp. 93-101.

Crofton, K. M. (1998a) Analysis and graphics of thyroid hormone data from the rat 14-day "Caldwell" perchlorate study [memorandum with attachment to Annie Jarabek]. Research Triangle Park, NC: U.S. Environmental Protection Agency, National Health and Environmental Effects Research Laboratory; October 18 (revised November 21).

Crofton, K. M. (1998b) Re-analysis of thyroid hormone data from the subchronic perchlorate study submitted by Springborn Laboratories (SLI study no. 3455.1) [memorandum with attachment to Annie Jarabek]. Research Triangle Park, NC: U.S. Environmental Protection Agency, National Health and Environmental Effects Research Laboratory; July 21 (revised October 12 and November 18).

Crofton, K. M. (1998c) Preliminary analysis of the postnatal day 12 neuromorphology data from the rat developmental neurotoxicology study [memorandum to Annie Jarabek]. Research Triangle Park, NC: U.S. Environmental Protection Agency, National Health and Environmental Effects Research Laboratory; December 29.

Crofton, K. M. (1998d) Personal communication [with Charles Capen of Ohio State University concerning the comparative sensitivity of standard histology versus morphometric measurements and of follicular epithelial cell height versus lumen area regarding chemically-induced changes in thyroid gland structure]. Research Triangle Park, NC: U.S. Environmental Protection Agency, National Health and Environmental Effects Research Laboratory; November 6.

Crofton, K. M. (1998e) Analysis of the thyroid histology data from the rat developmental neurotoxicology study [memorandum with attachment to Annie Jarabek]. Research Triangle Park, NC: U.S. Environmental Protection Agency, National Health and Environmental Effects Research Laboratory; October 22 (revised November 6).

Crofton, K. M. (1998f) Analysis of the thyroid hormone data from the rat developmental neurotoxicology study [memorandum with attachment to Annie Jarabek]. Research Triangle Park, NC: U.S. Environmental Protection Agency, National Health and Environmental Effects Research Laboratory; September 24 (revised November 6).

Crofton, K. M. (1998g) Personal communication. [With Dr. Simon Mats, Primedica, Worcester, MA, concerning the lack of use of litter as dependent variable in the reanalysis of the motor activity data from the Argus developmental neurotoxicity study]. Research Triangle Park, NC: U.S. Environmental Protection Agency, National Health and Environmental Effects Research Laboratory; November 4.

Crofton, K. M. (1998h) Analysis and graphics of thyroid hormone data from the rabbit developmental perchlorate study [memorandum with attachment to Annie Jarabek]. Research Triangle Park, NC: U.S. Environmental Protection Agency, National Health and Environmental Effects Research Laboratory; October 10 (revised October 28).

- Crofton, K. M. (1998i) Analysis and graphics of thyroid hormone data from the mouse immunotoxicology study [memorandum with attachment to Annie Jarabek]. Research Triangle Park, NC: U.S. Environmental Protection Agency, National Health and Environmental Effects Research Laboratory; October 18 (revised November 10 and 23).
- Crofton, K. M. (1998j) Sensitivity of neurodevelopmental tests versus thyroid hormone concentrations [memorandum to Annie Jarabek]. Research Triangle Park, NC: U.S. Environmental Protection Agency, National Health and Environmental Effects Research Laboratory; December 29.
- Crofton, K. M.; MacPhail, R. C.; Tilson, H. A. (1998) Analysis of the motor activity data from the rat developmental neurotoxicology study [memorandum to Annie Jarabek]. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development; November 5.
- Crooks, J.; Wayne, E. J. (1960) A comparison of potassium perchlorate, methylthiouracil, and carbimazole in the treatment of thyrotoxicosis. *Lancet* (7121): 401-404.
- Crump, K. S.; Allen, B. C.; Faustman, E. M. (1995) The use of the benchmark dose approach in health risk assessment. Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum; report no. EPA/630/R-94/007. Available from: NTIS, Springfield, VA; PB95-213765.
- Crump, C.; Michaud, P.; Tellez, R.; Reyes, C.; Gonzalez, G.; Montgomery, E. L.; Crump, K. S.; Lobo, G.; Becerra, C.; Gibbs, J. P. (2000) Does perchlorate in drinking water affect thyroid function in newborns or school-age children? *J. Occup. Environ. Med.* 42: 603-612.
- Dean, J. A., ed. (1985) Lange's handbook of chemistry. 13th ed. New York, NY: McGraw Hill Book Company.
- Dollarhide, J. S. (1992) Provisional non-cancer and cancer toxicity values for potassium perchlorate (CASRN 7778-74-7) (Aerojet General Corp./CA) [memorandum with attachment to Dan Strakla]. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Criteria and Assessment Office; December 2.
- Dollarhide, J. S. (1995) Review of proposed RfD for perchlorate [memorandum with attachment to Mike Girard]. Cincinnati, OH: U.S. Environmental Protection Agency, National Center for Environmental Assessment; October 23.
- Dollarhide, J. S. (1998) Personal communication [regarding dosing solutions of ammonium perchlorate versus anion only]. Cincinnati, OH: Toxicology Excellence for Risk Assessment; November 30.
- Dourson, M. (1998) Mouse micronucleus test for perchlorate & literature review of relevant mouse studies [report with memorandum from Tara M. Anderson attached]. Cincinnati, OH: Toxicology Excellence for Risk Assessment; October 10.
- Dumont, J. N.; Bantle, J. A. (1998) FETAX analysis of ammonium perchlorate. Stillwater, OK: Oklahoma State University, Department of Zoology; May 22.
- Durand, M. J. (1938) Recherches sur l'élimination des perchlorates, sur leur répartition dans les organes et sur leur toxicité [Research on the elimination, distribution in organs, and toxicity of perchlorate]. *Bull. Soc. Chim. Biol.* 20: 423-433.
- EA Engineering, Science, and Technology, Inc. (1998) Results of acute and chronic toxicity testing with sodium perchlorate. Brooks Air Force Base, TX: Armstrong Laboratory; report no. 2900.
- Eichler, O.; Hackenthal, E. (1962) Über Ausscheidung und Stoffwechsel von Perchloraat gemessen mit $^{36}\text{ClO}_4$ [Secretion and metabolism of perchlorate measured with $^{36}\text{ClO}_4$]. *Naunyn-Schmiedeberg's Arch. Exp.*

Pathol. Pharmakol. 243: 554-565.

Eldridge, J. E.; Tsui, D. T.; Mattie, D. R.; Crown, J.; Scott, R.; Blackman, T. (1999) Perchlorate in fertilizers. Wright-Patterson AFB, OH: Air Force Research Laboratory, Human Effectiveness Directorate; report no. AFRL-HE-WP-TR-2000-0037.

Environmental Resources Management, Inc. (1995) Extended literature review concerning NOAEL and LOAEL values for perchlorate. Exton, PA: Environmental Resources Management, Inc.; June 6.

Farid, N. R.; Shi, Y.; Zou, M. (1994) Molecular basis of thyroid cancer. Endocr. Rev. 15: 202-232.

Fawcett, J. W.; Clarke, C. W. F. (1961) Aplastic anaemia due to potassium perchlorate [letter]. Br. Med. J. (5238): 1537.

Federal Register. (1991) Guidelines for developmental toxicity risk assessment. F. R. (December 5) 56: 63798-63826.

Federal Register. (1996) Proposed guidelines for carcinogen risk assessment: notice of availability and opportunity to comment. F. R. (April 23) 61: 17960-18011.

Fisher, D. A. (1996) Disorders of the thyroid in the newborn and infant. In: Sperling, M. A., ed. Pediatric endocrinology. Philadelphia, PA: W. B. Saunders Company; pp. 51-70.

Fisher, J. W. (1998a) Consultative letter, AFRL-HE-WP-CL-1998-0022, pharmacokinetics of iodide uptake inhibition in the thyroid by perchlorate [memorandum with attachments to Annie Jarabek]. Wright-Patterson Air Force Base, OH: Air Force Research Laboratory, Human Effectiveness Directorate, Operational Toxicology Branch (AFRL/HEST); October 1.

Fisher, J. W. (1998b) Personal communication to Annie Jarabek [concerning percentage of perchlorate likely to transfer to pups during lactation]. Wright-Patterson Air Force Base, OH: Air Force Research Laboratory, Human Effectiveness Directorate, Operational Toxicology (AFRL/HEST) Branch; December 22.

Fisher, J. W.; Whittaker, T. A.; Taylor, D. H.; Clewell, H. J., III; Andersen, M. E. (1989) Physiologically based pharmacokinetic modeling of the pregnant rat: a multiroute exposure model for trichloroethylene and its metabolite, trichloroacetic acid. Toxicol. Appl. Pharmacol. 99: 395-414.

Fisher, J. W.; Whittaker, T. A.; Taylor, D. H.; Clewell, H. J., III; Andersen, M. E. (1990) Physiologically based pharmacokinetic modeling of the lactating rat and nursing pup: a multiroute exposure model for trichloroethylene and its metabolite, trichloroacetic acid. Toxicol. Appl. Pharmacol. 102: 497-513.

Garman, R. (2001) Ammonium perchlorate study [memorandum to Ray York, Joanne Fairlie, John Barnett, Jr., Joan Dollarhide, Michael Dourson, Jean Harry, and Jerry Hardisty]. Murrysville, PA: Consultants in Veterinary Pathology, Inc.; August 13.

Garman, R. (2001) The morphometry component of the perchlorate effects protocol [memorandum to Jean Harry]. Murrysville, PA: Consultants in Veterinary Pathology, Inc.; August 14.

Gauss, W. (1972) Das verhalten einiger physiologischer und histologischer kriterien der schilddrusenfunktion bei einmaliger oder langerer verabreichung von kaliumperchlorat an adulte mause I. Langzeitversuche. Z. Mikrosk. Anat. Forsch. 4: 469-500.

Geller, A. M. (1998a) Non-parametric correlations run on thyroid data from studies submitted for evaluation of perchlorate [memorandum with attached report to Annie Jarabek]. Research Triangle Park, NC: U.S. Environmental Protection Agency, National Health and Environmental Effects Research Laboratory;

December 21.

- Geller, A. M. (1998b) Benchmark dose calculations on thyroid data from studies submitted for evaluation of perchlorate [memorandum with attachments to Annie Jarabek]. Research Triangle Park, NC: U.S. Environmental Protection Agency, National Health and Environmental Effects Research Laboratory; December 28.
- Giardino, N. J.; Eamen, N. A.; Andelman, J. B. (1992) Modeling volatilization of trichloroethylene from a domestic shower spray: the role of drop-size distribution. *Environ. Sci. Technol.* 26: 1602-1606.
- Gibbs, J. P.; Ahmad, R.; Crump, K. S.; Houck, D. P.; Leveille, T. S.; Findley, J. E.; Francis, M. (1998) Evaluation of a population with occupational exposure to airborne ammonium perchlorate for possible acute or chronic effects on thyroid function. *J. Occup. Environ. Med.* 40:1072-1082.
- Gjeddal, N. (1963) Fatal aplastic anaemia following use of potassium perchlorate in thyrotoxicosis. *Acta Med. Scand.* 174: 129-131.
- Godley, A. F.; Stanbury, J. B. (1954) Preliminary experience in the treatment of hyperthyroidism with potassium perchlorate. *J. Clin. Endocrinol.* 14: 70-78.
- Goldey, E. S.; Kehn, L. S.; Rehnberg, G. L.; Crofton, K. M. (1995a) Effects of developmental hypothyroidism on auditory and motor function in the rat. *Toxicol. Appl. Pharmacol.* 135: 67-76.
- Goldey, E. S.; Kehn, L. S.; Lau, C.; Rhenberg, G. L.; Crofton, K. M. (1995b) Developmental exposure to polychlorinated biphenyls (Arochlor 1254) reduces circulating thyroid hormone concentrations and causes hearing deficits in rats. *Toxicol. Appl. Pharmacol.* 135: 77-88.
- Goldman, S. J.; Stanbury, J. B. (1973) The metabolism of perchlorate in the rat. *Endocrinology* 92: 1536-1538.
- Halmi, N. S.; Stuelke, R. G.; Schnell, M. D. (1956) Radioiodide in the thyroid and in other organs of rats treated with large doses of perchlorate. *Endocrinology* 58: 634-650.
- Hancock, P. V. (1998) Information on ammonium perchlorate [memorandum to Annie Jarabek concerning size of ammonium perchlorate in processing and manufacturing plants].
- Hard, G. C. (1998) Recent developments in the investigation of thyroid regulation and thyroid carcinogenesis. *Environ. Health Perspect.* 106: 427-436.
- Hasselblad, V.; Jarabek, A. M.; Svendsgaard, D. J.; Davis, J. M. (1995) Restricted versus unrestricted models: Why is one the magic number? In: Abstracts of the 34th annual meeting of the Society of Toxicology; March; Baltimore, MD. *Toxicologist* 15: 178.
- Hiasa, Y.; Kitahori, Y.; Kato, Y.; Ohshima, M.; Konishi, N.; Shimoyama, T.; Sakaguchi, Y.; Hsahimoto, H.; Minami, S.; Murata, Y. (1987) Potassium perchlorate, potassium iodide, and propylthiouracil: promoting effect on the development of thyroid tumors in rats treated with N-bis(2-hydroypropyl)-nitrosamine. *Jpn. J. Cancer Res.* 78: 1335-1340.
- Hill, R. N.; Erdreich, L. S.; Paynter, O.; Roberts, P. A.; Rosenthal, S. L.; Wilkinson, C. F. (1989) Thyroid follicular cell carcinogenesis. *Fundam. Appl. Toxicol.* 12: 629-697.
- Hill, R. N.; Crisp, T. M.; Hurley, P. M.; Rosenthal, S. L.; Singh, D. V. (1998) Risk assessment of thyroid follicular cell tumors. *Environ. Health Perspect.* 106: 447-457.
- Hobson, Q. J. G. (1961) Aplastic anaemia due to treatment with potassium perchlorate [letter]. *Br. Med. J.* (5236):

1368-1369.

- Holson, R. R.; Pearce, B. (1992) Principles and pitfalls in the analysis of prenatal treatment effects in multiparous species. *Neurotoxicol. Teratol.* 14: 221-228.
- Hurley, P. M.; Hill, R. N.; Whiting, R. J. (1998) Mode of carcinogenic action of pesticides inducing thyroid follicular cell tumors in rodents. *Environ. Health Perspect.* 106: 437-445.
- Interagency Perchlorate Steering Committee. (1998) Perchlorate ecological risk studies. Washington, DC: Interagency Perchlorate Steering Committee, Ecological Risk/Transport and Transformation Subcommittee; November 13.
- International Commission on Radiological Protection. (1994) Human respiratory tract model for radiological protection: a report of a task group of the International Commission on Radiological Protection. Oxford, United Kingdom: Elsevier Science Ltd. (ICRP publication 66; Annals of the ICRP: v. 24, nos. 1-3).
- Jannini, E. A.; Ulisse, S.; D'Armiento, M. (1995) Thyroid hormone and male gonadal function. *Endocr. Rev.* 16: 443-459.
- Jarabek, A. M. (1995a) The application of dosimetry models to identify key processes and parameters for default dose-response assessment approaches. *Toxicol. Lett.* 79: 171-184.
- Jarabek, A. M. (1995b) Interspecies extrapolation based on mechanistic determinants of chemical disposition. *Hum. Ecol. Risk Assess.* 1: 641-662.
- Jarabek, A. M. (1995c) Consideration of temporal toxicity challenges current default assumptions. *Inhalation Toxicol.* 7: 927-946.
- Jarabek, A. M. (1998) Final consult letter. Re: morphology for neurodevelopmental study [specifically (1) measurement of mean follicular lumen area, and (2) arbitrary choice of this measure versus follicular height]. Research Triangle Park, NC: U.S. Environmental Protection Agency, National Center for Environmental Assessment; October 23.
- Johnson, R. S.; Moore, W. G. (1961) Fatal aplastic anaemia after treatment of thyrotoxicosis with potassium perchlorate. *Br. Med. J.* (5236): 1369-1371.
- Kammüller, M. E. (1995) Drug-induced autoimmunity. *Hum. Exp. Toxicol.* 14: 117-119.
- Kavlock, R. J.; Allen, B. C.; Faustman, E. M.; Kimmel, C. A. (1995) Dose-response assessments for developmental toxicity: IV. Benchmark doses for fetal weight changes. *Fundam. Appl. Toxicol.* 26: 211-222.
- Keil, D.; Warren, A.; Bullard-Dillard, R.; Jenny, M.; EuDaly, J. (1998) Effects of ammonium perchlorate on immunological, hematological, and thyroid parameters. Charleston, SC: Medical University of South Carolina, Department of Medical Laboratory Sciences; report no. DSWA01-97-1-008.
- Kessler, F. J.; Kruskemper, H. J. (1966) Experimentelle Schilddrusentumoren durch mehrjährige Zufuhr von Kaliumperchlorat [Experimental thyroid tumors caused by long-term potassium perchlorate administration]. *Klin. Wochenschr.* 44: 1154-1156.
- King, J. H., Jr. (1995) Effects of ammonium perchlorate on the thyroid hormone levels of the Sprague-Dawley rat [thesis]. Air Force Institute of Technology; AFIT/GEE/ENV/95D-09.
- Kodell, R. L.; West, R. W. (1993) Upper confidence limits on excess risk for quantitative responses. *Risk Anal.* 13: 177-182.

- Kohn, M. C.; Sewall, C. H.; Lucier, G. W.; Portier, C. J. (1996) A mechanistic model of effects of dioxin on thyroid hormones in the rat. *Toxicol. Appl. Pharmacol.* 165: 29-48.
- Krevans, J. R.; Asper, S. P., Jr.; Rienhoff, W. F., Jr. (1962) Fatal aplastic anemia following use of potassium perchlorate in thyrotoxicosis. *JAMA J. Am. Med. Assoc.* 181: 162-164.
- Lamm, S. H.; Doemland, M. (1999) Has perchlorate in drinking water increased the rate of congenital hypothyroidism? *J. Occup. Environ. Med.* 41: 409-411.
- Lamm, S. H.; Braverman, L. E.; Li, F. X.; Richman, K.; Pino, S.; Howearth, G. (1999) Thyroid health status of ammonium perchlorate workers: a cross-sectional occupational health study. *J. Occup. Environ. Med.* 41: 248-260.
- Lampé, L.; Módis, L.; Géhl, Á. (1967) Effect of potassium perchlorate on the foetal rabbit thyroid. *Acta Med. Acad. Sci. Hung.* 23: 223-232.
- Lawrence, J. E.; Lamm, S. H.; Braverman, L. E. (1999) The use of perchlorate for the prevention of thyrotoxicosis in patients given iodine rich contrast agents. *J. Endocrinol. Invest.* 22: 405-407.
- Lawrence, J. E.; Lamm, S. H.; Pino, S.; Richman, K.; Braverman, L. E. (2000) The effect of short-term low-dose perchlorate on various aspects of thyroid function. *Thyroid* 10: 659-663.
- Lawrence, J.; Lamm, S.; Braverman, L. E. (2001) Low dose perchlorate (3 mg daily) and thyroid function [letter]. *Thyroid* 11: 295.
- Li, F. X.; Byrd, D. M.; Deyhle, G. M.; Sesser, D. E.; Skeels, M. R.; Katkowsky, S. R.; Lamm, S. H. (2000) Neonatal thyroid-stimulating hormone level and perchlorate in drinking water. *Teratology* 62: 429-431.
- Li, F. X.; Squartsoff, L.; Lamm, S. H. (2001) Prevalence of thyroid diseases in Nevada counties with respect to perchlorate in drinking water. *J. Occup. Environ. Med.* 43: 630-634.
- Li, Z.; Li, F. X.; Byrd, D.; Deyhle, G. M.; Sesser, D. E.; Skeels, M. R.; Lamm, S. H. (2000) Neonatal thyroxine level and perchlorate in drinking water. *J. Occup. Environ. Med.* 42: 200-205.
- Logan, B. E. (1998) A review of chlorate- and perchlorate-respiring microorganisms. *Biorem. J.* 2: 69-79.
- Luster, M. I.; Munson, A. E.; Thomas, P. T.; Holsapple, M. P.; Fenters, J. D.; White, K. L., Jr.; Lauer, L. D.; Germolec, D. R.; Rosenthal, G. J.; Dean, J. H. (1988) Development of a testing battery to assess chemical-induced immunotoxicity: National Toxicology Program's guidelines for immunotoxicity evaluation in mice. *Fundam. Appl. Toxicol.* 10: 2-19.
- Mahle, D. (2001) Consultative letter, AFRL-HE-WP-CL-2001-0001, hormone and perchlorate data from cross-fostering study [memorandum with attachments to Annie Jarabek]. Wright-Patterson AFB, OH: Air Force Research Laboratory; May 1.
- ManTech Environmental Technology, Inc. (1998) Genotoxicity assays for ammonium perchlorate. I. *Salmonella*/microsome mutagenesis. II. Mouse lymphoma cell mutagenesis. III. In vivo mouse bone marrow micronucleus test. Final report. Cincinnati, OH: Toxicology Excellence for Risk Assessment, Perchlorate Study Group; study no. 6100-001.
- Männistö, P. T.; Ranta, T.; Leppäluoto, J. (1979) Effects of methylmercaptoimidazole (MMI), propylthiouracil (PTU), potassium perchlorate ($KClO_4$) and potassium iodide (KI) on the serum concentrations of thyrotrophin (TSH) and thyroid hormones in the rat. *Acta Endocrinol.* 91: 271-281.

- Mantel, N.; Bryan, W. R. (1961) "Safety" testing of carcinogenic agents. *J. Natl. Cancer Inst.* 27: 455-470.
- Marcus, A. H. (1998) Statistical analyses of standard histopathological measures of thyroid hypertrophy and follicular lumen size decrease in PND5 rats [memorandum to Annie Jarabek]. Research Triangle Park, NC: U.S. Environmental Protection Agency, National Center for Environmental Assessment; December 28.
- Margolis, S. (1986) Health assessment, San Gabriel Valley, Los Angeles, California [memorandum to Donald W. Hawkins concerning detection of perchlorate in residential wells]. Washington, DC: U.S. Department of Health and Human Services, Agency for Toxic Substances and Disease Registry; January 21.
- Mayer, K. (1998) Perchlorate: occurrence data to replace Table 1 from Siddiqui et al. [letter with attachment to Annie Jarabek]. San Francisco, CA: U.S. Environmental Protection Agency, Region 9; November 24.
- McClain, R. M. (1992) Thyroid gland neoplasia: non-genotoxic mechanisms. *Toxicol. Lett.* 64/65: 397-408.
- Merrill, E. (2001a) Consultative letter, AFRL-HE-WP-CL-2001-0004, QA/QC audit report for the study of perchlorate pharmacokinetics and inhibition of radioactive iodine uptake (RAIU) by the thyroid in humans (CRC protocol #628) [memorandum with attachments to Annie Jarabek]. Wright-Patterson AFB, OH: Air Force Research Laboratory; May 10.
- Merrill, E. (2001b) Consultative letter, AFRL-HE-WP-CL-2001-0005, PBPK model for iodide kinetics and perchlorate-induced inhibition in the male rat [memorandum with attachments to Annie Jarabek]. Wright-Patterson AFB, OH: Air Force Research Laboratory; May 8.
- Merrill, E. A. (2001c) Consultative letter, AFRL-HE-WP-CL-2001-0008, PBPK model for perchlorate-induced inhibition of radioiodide uptake in humans [memorandum with attachments to Annie Jarabek]. Wright-Patterson AFB, OH: Air Force Research Laboratory; June 5.
- Merrill, E. A. (2001d) Consultative letter, AFRL-HE-WP-CL-2001-0010, comparison of internal dosimetrics using PBPK models for perchlorate induced inhibition of thyroid iodide uptake and sensitivity analysis for male rat model [memorandum with attachments to Annie Jarabek]. Wright-Patterson AFB, OH: Air Force Research Laboratory; October 3.
- Meyer, G. D., Maj. (1998) Consultative letter, AFRL-HE-WP-CL-1998-0035, pharmacokinetic data for iodide uptake inhibition in the thyroid by perchlorate [memorandum to Annie Jarabek]. Wright-Patterson Air Force Base, OH: Air Force Research Laboratory, Human Effectiveness Directorate; December 23.
- Morgans, M. E.; Trotter, W. R. (1960) Potassium perchlorate in thyrotoxicosis [letter]. *Br. Med. J.* (October 8): 1086-1087.
- Murrell, J. A.; Portier, C. J.; Morris, R. W. (1998) Characterizing dose-response I: critical assessment of the benchmark dose concept. *Risk Anal.* 18: 13-26.
- National Research Council. (1983) Risk assessment in the federal government: managing the process. Washington, DC: National Academy Press.
- Norberg-King, T. J. (1990) Seven-day tests and chronic tests [author's reply]. *Environ. Toxicol. Chem.* 9: 1435-1436.
- Nzengung, V. A. (n.d.) Laboratory characterization of phyto-transformation products of perchloroethylene (PCE), trichloroethylene (TCE) and perchlorate. Final report. Athens, GA: University of Georgia, Department of Geology.
- Pajer, Z.; Kališnik, M. (1991) The effect of sodium perchlorate and ionizing irradiation on the thyroid parenchymal

and pituitary thyrotropic cells. *Oncology* 48: 317-320.

Porterfield, S. P. (1994) Vulnerability of the developing brain to thyroid abnormalities: environmental insults to the thyroid system. *Environ. Health Perspect. Suppl.* 102(2): 125-130.

Postel, S. (1957) Placental transfer of perchlorate and triiodothyronine in the guinea pig. *Endocrinology* 60: 53-66.

Rockette, H. E.; Arena, V. C. (1983) Mortality patterns of workers in the Niagra plant. Niagra Falls, NY: Occidental Chemical Corporation; microfiche no. OTS0537001.

Rogers, D. E., Lt. Col. (1998) Perchlorate user and production information [memorandum with attachments to Annie M. Jarabek]. Wright-Patterson Air Force Base, OH: Department of the Air Force, Air Force Materiel Command Law Office; October 30.

Ruppert, P. H.; Dean, K. F.; Reiter, L. W. (1985a) Development of locomotor activity of rat pups in figure-eight mazes. *Dev. Psychobiol.* 18: 247-260.

Ruppert, P. H.; Dean, K. F.; Reiter, L. W. (1985b) Development of locomotor activity of rat pups exposed to heavy metals. *Toxicol. Appl. Pharmacol.* 78: 69-77.

Said, S.; Schlumberger, M.; Suarez, H. G. (1994) Oncogenes and anti-oncogenes in human epithelial thyroid tumors. *J. Endocrinol. Invest.* 17: 371-379.

Sample, B. E.; Suter, G. W., II. (1994) Estimating exposure of terrestrial wildlife to contaminants. Oak Ridge, TN: Oak Ridge National Laboratories; ES/ER/TM-125.

Scheuplein, R. J.; Bronaugh, R. L. (1983) Percutaneous absorption. In: Goldsmith, L. A., ed. *Biochemistry and physiology of the skin*. Volume 2. New York, NY: Oxford University Press; p. 1279.

Schilt, A. A. (1979) Introduction. In: *Perchloric acid and perchlorates*. Columbus, OH: G. Frederick Smith Chemical Company; pp. 1-8.

Schneider, B. F.; Golden, W. L. (1986) Acquisition of acoustic startle shows a dose-response to serum free T₄. *Int. J. Dev. Neurosci.* 4: 397-400.

Schulte, P. A. (1989) A conceptual framework for the validation and use of biologic markers. *Environ. Res.* 48: 129-144.

Schwartz, J. (2001) Gestational exposure to perchlorate is associated with measures of decreased thyroid function in a population of California neonates [thesis]. Berkeley, CA: University of California.

Selivanova, L. N.; Boltromeyuk, L. P.; Arefeva, Z. S.; Vavilova, L. N. (1986) Dynamics of the absorption and elimination of perchloric acid salts in laboratory animals and livestock. *Khim. Sel'sk. Khoz.* (1963-1987) (5): 43-45.

Sher, E. S.; Xu, X. M.; Adams, P. M.; Craft, C. M.; Stein, S. A. (1998) The effects of thyroid hormone level and action in developing brain: are these targets for the actions of polychlorinated biphenyls and dioxins? *Toxicol. Ind. Health* 14: 121-158.

Shigan, S. A. (1963) Substantiation of the maximum permissible concentration of ammonium perchlorate in water of reservoirs. *Gig. Sanit.* 28: 8-14.

Siddiqui, M.; LeChevallier, M. W.; Ban, J.; Phillips, T.; Pivinski, J. (1998) Occurrence of perchlorate and methyl tertiary butyl ether (MTBE) in groundwater of the American water system. Vorhees, NJ: American Water

Works Service Company, Inc.; September 30.

- Snipes, M. B.; James, A. C.; Jarabek, A. M. (1997) The 1994 ICRP66 human respiratory tract dosimetry model as a tool for predicting lung burdens from exposures to environmental aerosols. *Appl. Occup. Environ. Hyg.* 12: 547-554.
- Soldin, O. P.; Braverman, L. E.; Lamm, S. H. (2001) Perchlorate clinical pharmacology and human health: a review. *Ther. Drug Monit.* 23: 316-331.
- Southwell, N.; Randall, K. (1960) Potassium perchlorate in thyrotoxicosis [letter]. *Lancet* (7125): 653-654.
- Springborn Laboratories, Inc. (1998) A 90-day drinking water toxicity study in rats with ammonium perchlorate: amended final report [amended study completion date: June 3]. Spencerville, OH: Springborn Laboratories, Inc.; study no. 3455.1.
- Stanbury, J. B.; Wyngaarden, J. B. (1952) Effect of perchlorate on the human thyroid gland. *Metab. Clin. Exp.* 1: 533-539.
- Stralka, D. (1992) Toxicity assessment request on perchlorate salts [memorandum with attachment to Mindy Henson, Superfund Technical Support Center]. San Francisco, CA: U.S. Environmental Protection Agency; October 9.
- Sunar, O. (1963) Case report—agranulocytosis associated with potassium perchlorate treatment. *J. Laryngol. Otol.* 77: 353-355.
- Suter, G. W., II. (1990) Seven-day tests and chronic tests [letter]. *Environ. Toxicol. Chem.* 9: 1435.
- Suter, G. W., II; Tsao, C. L. (1996) Toxicological benchmarks for screening potential contaminants of concern for effects on aquatic biota: 1996 revision. Oak Ridge, TN: Oak Ridge National Laboratory; ES/ER/TM-96/R2. Available: www.hsrdoornl.gov/ecorisk/reports.html [1999, November 24].
- TRC Environmental Corporation. (1998) Chemical fertilizer as a potential source of perchlorate. Burbank, CA: Lockheed Martin Corporation; November.
- Takata, K. (1985) Request for CDC assistance regarding potential health effects of perchlorate contamination at the San Gabriel Valley superfund sites [memorandum with attachments to Don Hawkins]. San Francisco, CA: U.S. Environmental Protection Agency, Superfund Records Center, Region 9; December 23.
- Tamasy, V.; Meisami, E.; Vallerga, A.; Timiras, P. S. (1986) Rehabilitation from neonatal hypothyroidism: spontaneous motor activity, exploratory behavior, avoidance learning and responses of pituitary-thyroid axis to stress in male rats. *Psychoneuroendocrinology* 11: 91-103.
- Toxicology Excellence for Risk Assessment. (1997) Proposed perchlorate reference dose (RfD). Cincinnati, OH: Toxicology Excellence for Risk Assessment; prepared for the Perchlorate Study Group.
- Toxicology Excellence for Risk Assessment. (1998a) Notes from the March 1997 *ITER* peer review meeting. Cincinnati, OH: Toxicology Excellence for Risk Assessment. Available: www.tera.org/news/eight.htm [1999, November 24].
- Toxicology Excellence for Risk Assessment. (1998b) Results of the perchlorate study protocol review meeting: perchlorate study protocol peer review May 20, 1997 summary meeting notes. Cincinnati, OH: Toxicology Excellence for Risk Assessment. Available: www.tera.org/news/eleven.htm [1999, November 24].
- Toxicology Excellence for Risk Assessment. (2001) Report on five expert reviews of the Primedica 2001 Study

Report (hormone, thyroid and neurohistological effects of oral (drinking water) exposure to ammonium perchlorate in pregnant and lactating rats and in fetuses and nursing pups exposed to ammonium perchlorate during gestation or via maternal milk, March 2001). Cincinnati, OH: Toxicology Excellence for Risk Assessment (TERA); prepared for the Perchlorate Study Group; May.

Tsui, D. (1998) Oxidizing potential of perchlorate under physiological conditions [letter to Annie Jarabek]. Wright-Patterson Air Force Base, OH: Air Force Research Laboratory, Human Effectiveness Directorate, Operational Toxicology Branch; July 17.

Tsui, D. T.; Mattie, D. R.; Narayanan, L. (1998) Stability and concentration verification of ammonium perchlorate dosing solutions. Wright-Patterson Air Force Base, OH: Air Force Research Laboratory, Human Effectiveness Directorate; AFRL-HE-WP-TR-1998-0068.

U.S. Environmental Protection Agency. (1987) The risk assessment guidelines of 1986. Washington, DC: Office of Health and Environmental Assessment; report no. EPA/600/8-87/045. Available from: NTIS, Springfield, VA; PB88-123997.

U.S. Environmental Protection Agency. (1988) Recommendations for and documentation of biological values for use in risk assessment. Cincinnati, OH: Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office; EPA report no. EPA-600/6-87-008. Available from: NTIS, Springfield, VA; PB88-179874.

U.S. Environmental Protection Agency. (1993) Water quality guidance for the Great Lakes System and correction; proposed rules. F. R. 58(72): 20,802-21,047.

U.S. Environmental Protection Agency. (1994) Methods for derivation of inhalation reference concentrations and application of inhalation dosimetry [draft final]. Research Triangle Park, NC: Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office; report no. EPA/600/8-88/066F.

U.S. Environmental Protection Agency. (1995) Policy for risk characterization at the U.S. Environmental Protection Agency [memorandum of Administrator, Carol M. Browner]. Washington, DC: Office of Research and Development, Science Policy Council; March 21. Available: www.epa.gov/ORD/spc/rcpolicy.htm [1999, November 24].

U.S. Environmental Protection Agency. (1996a) Guidelines for reproductive toxicity risk assessment. Washington, DC: Office of Research and Development; report no. EPA/630/R-96/009. Available online at: www.epa.gov/ORD/WebPubs/repro/.

U.S. Environmental Protection Agency. (1996b) Air quality criteria for particulate matter. Research Triangle Park, NC: National Center for Environmental Assessment-RTP Office; report nos. EPA/600/P-95/001aF-cF. 3v. Available from: NTIS, Springfield, VA; PB96-168224.

U.S. Environmental Protection Agency. (1998a) Assessment of thyroid follicular cell tumors. Washington, DC: Office of Research and Development; report no. EPA/630/R-97/002. Available from: NTIS, Springfield, VA; PB98-133119. Available online at: www.epa.gov/ncea/thyroid.htm.

U.S. Environmental Protection Agency. (1998b) Guidelines for neurotoxicity risk assessment. Washington, DC: National Center for Environmental Assessment; report no. EPA/630/R-95/001Fa. Available online at: <http://www.epa.gov/ncea/nurotox.htm>.

U.S. Environmental Protection Agency. (1998c) Perchlorate: assessment of the state of the science. Report to the Congress of the United States. Washington, DC: Office of Research and Development; September.

- U.S. Environmental Protection Agency. (1998d) Guidelines for ecological risk assessment. Washington, DC: Risk Assessment Forum; report no. EPA/630/R-95/002F. Available online at: www.epa.gov/ncea/ecorsk.htm.
- U.S. Environmental Protection Agency. (1998e) 1998 update of ambient water quality criteria for ammonia. Washington, DC: Office of Water; report no. EPA 822-R-98-008. Available online at: www.epa.gov/ost/standards/amonsub.html.
- U.S. Environmental Protection Agency. (1998?) Health effects test guidelines: OPPTS 870.6200: neurotoxicity screening battery.** Washington, DC: Office of Prevention, Pesticides and Toxic Substances; report no. EPA 712-C-98-238.
- U.S. Environmental Protection Agency. (1998?) Health effects test guidelines: OPPTS 870.6300: developmental neurotoxicity study.** Washington, DC: Office of Prevention, Pesticides and Toxic Substances; report no. EPA 712-C-98-239.
- Underwood, M. (1998) Exposure concerns and health implications of perchlorate. Presented at: The southeast focused ground water conference: discussing the issue of MTBE and perchlorate in groundwater; June; Anaheim, CA. Westerville, OH: National Ground Water Association.
- Urbansky, E. T. (1998) Perchlorate chemistry: implications for analysis and remediation. *Biorem. J.* 2: 81-95.
- Von Burg, R. (1995) Toxicology update: perchlorates. *J. Appl. Toxicol.* 15: 237-241.
- Wall, J. R.; Fang, S. L.; Kuroki, T.; Ingbar, S. H.; Braverman, L. E. (1984) In vitro immunoreactivity to propylthiouracil, methimazole, and carbimazole in patients with Graves' disease: a possible cause of antithyroid drug-induced agranulocytosis. *J. Clin. Endocrinol. Metab.* 58: 868-872.
- Weast, R. C., ed. (1989) CRC handbook of chemistry and physics. 69th ed. Boca Raton, FL: CRC Press, Inc.
- Wenzel, K. W.; Lente, J. R. (1984) Similar effects of thionamide drugs and perchlorate on thyroid-stimulating immunoglobulins in Graves' disease: evidence against an immunosuppressive action on thionamide drugs. *J. Clin. Endocrinol. Metab.* 58: 62-69.
- Whalan, J. E.; Redden, J. C. (1994) Interim policy for particle size and limit concentration issues in inhalation toxicity studies. U.S. Environmental Protection Agency, Office of Pesticide Products; February 1.
- Wiltse, J.; Dellarco, V. L. (1996) U.S. Environmental Protection Agency guidelines for carcinogen risk assessment: past and future. *Mutat. Res.* 365: 3-15.
- Wing, S. S.; Fantus, I. G. (1987) Adverse immunologic effects of antithyroid drugs. *Can. Med. Assoc. J.* 136: 121-125, 127.
- Wolff, J. (1998) Perchlorate and the thyroid gland. *Pharmacol. Rev.* 50: 89-105.
- Wolff, J.; Maurey, J. R. (1962) Thyroidal iodide transport. III. Comparison of iodide with anions of periodic group VIIA. *Biochim. Biophys. Acta* 57: 422-426.
- York, R. G. (1998a) Update on additional items for 1613-002 [letter to Darol E. Dodd]. Horsham, PA: Argus Research Laboratories, Inc.; September 25.
- York, R. G. (1998b) Protocol 1613-002 - A neurobehavioral developmental study of ammonium perchlorate administered orally in drinking water to rats. Sponsor's study number: 7757A210-1096-25F [letter to Annie Jarabek]. Horsham, PA: Argus Research Laboratories, Inc.; October 2.

York, R. G. (1998c) [Letter to Darol E. Dodd concerning geneology of the F1 generation rats]. Horsham, PA: Argus Research Laboratories, Inc.; October 26.

York, R. G. (1998d) Study 1613-002 - A neurobehavioral developmental study of ammonium perchlorate administered orally in drinking water to rats. Sponsor's study number: 7757A210-1096-25F [letter with attachments to Annie Jarabek]. Horsham, PA: Argus Research Laboratories, Inc.; November 5.

York, R. G. (1998e) 1416-002 - Oral (drinking water) developmental toxicity study of ammonium perchlorate in rabbits [letter with attachments to Annie Jarabek]. Horsham, PA: Argus Research Laboratories, Inc.; October 7.

York, R. G. (2001) Hormone, thyroid and neurohistological effects of oral (drinking water) exposure to ammonium perchlorate in pregnant and lactating rats and in fetuses and nursing pups exposed to ammonium perchlorate during gestation or via maternal milk. Horsham, PA: Argus Research Laboratories, Inc.; report no. ARGUS 1416-003.

Zeiger, E. (1998a) Salmonella mutagenicity testing of ammonium perchlorate [memorandum with attachment to Annie Jarabek]. Research Triangle Park, NC: U.S. Department of Health and Human Services, National Institute of Environmental Health Sciences; September 29.

Zeiger, E. (1998b) Ammonium perchlorate MN test results [memorandum to Annie Jarabek]. Research Triangle Park, NC: U.S. Department of Health and Human Services, National Institute of Environmental Health Sciences; December 23.